

Garden Railroading News July/Aug 2021

A Free Digital Magazine Produced by Volunteer Garden Railroaders

Garden Railroading, A Balance of Detail and Impressionism!

This issue features several railroads and techniques to add detail to your garden railroad, encouraging the freedom to sketch in some areas while letting the viewer fill in the story.

Please share GR News with your friends, support our vendors... and let our advertisers know you saw them in GR News. A heartfelt *Thank You* to all the editors of club newsletters who made this edition of GR News possible!

GRNEWS.org

Share your garden railroading activities via

Facebook



gardenrailroadingenews

Instagram



grnewsimages

To our readers accustomed to publications arriving with next month's date: We plan to adjust our issue distribution date in January 2022.

In This Issue

Kegularly Scheduled		Mixe
Editor's Note	1	Reflec
Seen On the Tracks: Photo Gallery	3	Photos fron
May We Suggest: New Products & News A Sampling of New Public G Scale Railroads and Events, LGB, PIKO Ameri	4 ca	Sidetro A Pa
Club Corner by Bill Derville	13	by Article from
Straight from the Iron Horse's Mouth: Letters	38	Squak bv
Affiliated Clubs	39	Photo from
Advertiser Index	40	Rehab
Garden Railroading News An Online Magazine Explainer • PDF Downloading, Page View, & Magnifico	40 ution	A E by
S pecials		Article from
Featured Layout: Bob Treat's Snow Creek Railroad by Bob Treat	7	Dwarf Base & Sa
On Demand Railroading Part Three by Mick Spilsbury	25	The Mail
Details, Details, Details GR News visits Todd Brody's Tortoise & Lizard Bash RR by Mick Spilsbury	30	Article from The Ar Article from

Mixed Consist Club Interchange

1 /

Photos from: Florida Garden Railway Society Newsletter June 2021	14
Sidetrack Tap Lounge A Passsenger Car to Diner Project in 7/8ths Scale by John McClure	17
Article from: New Hampshire Garden Railway Society Website April 2021	
Squak Mt RR Thyme Meadow by Sharon Carlson	19
Photo from: Puget Sound Garden Railway Society Garden Railroading July 2021	
Rehabilitating a PIKO Clean Machine A Beginner Budget Project by Eric Stratton Mueller Article from: Rose City Garden Railway Society Newsletter May 2021	20
Dwarf Chinese Elm Based on information about plants in Bay Area GRS, Nashville GRS, & Santa Clarita Valley GRC Club Members' Layouts	26
The Mail Car: When to Replace Track & Wheels by Pete Dahlberg Article from: North Texas Garden Railroad Club NTGRC News July/August 2021	28
The Anatomy of a Door by Joe Eckardt Article from: Rose City Garden Railway Society <i>Newsletter</i> April 2021	33

All articles herein are copyright by their respective authors or club newsletters and may not be republished without permission.



Send suggestions and questions regarding Garden Railroading News to: Mick Spilsbury, Bay Area GRS at: marketing@GRNews.org Carla Brand Breitner, Santa Clarita Valley GRC at: editor@GRNews.org Bill Derville, Club Corner, Rose City GRS at: bill@derville4.com or www.facebook.com/groups/gardenrailroadingenews

Layout Design & Editor Carla Brand Breitner 🗢 🌣 🛩 Webmaster & Marketing Mick Spilsbury



Go to **Page 40** for An Online Magazine Explainer How to Download a PDF & Customize Page View to Your Preference. Magnifying GR News and the "Hamburger" Icon.

\equiv	



Above: A busy day at Loganville Station on Dart & Dot Rinefort's OS&F RR. An LGB Mallet pulling freight passes through as an LGB Mogul drops passengers off. • Marin County, California

Below: This weathered Class B Climax, a Bachmann modified by Jim Rowson for his Durango-Jasper Railroad, climbs a rocky hillside. • East Bay in the Bay Area, California

Photo by Jim Rowson





GR News is highlighting a few **new G Scale public** railroads and garden railway club layout tours this issue. Look for G Scale in your area at county & state fairs, museums, botanical gardens, and parks. Even ice cream parlors and nurseries may feature G Scale.

Burlington Station: G Scale Trains in Twin Harbors, Minnesota

This summer Burlington Station opened in Two Harbors, MN, on Lake Superior's North Shore. Currently trains are running on two 320-foot loops over a 36foot long, 7 foot high trestle. Floor train displays are planned to flow throughout the building, illustrating Two Harbor's history of shipping iron ore from Minnesota's Iron Range. Gift shops and Callie's Sweets are also open in the building.

This project of Mayor Chris Swanson, a member of Minnesota Garden Railway Society, is coming to life thanks to MGRS members who installed wiring, track, trestles, lighting and power sources.

For more information: www.burlingtonstation.com



Gulf Coast & Central Florida RR Museum: G Scale Train Exhibits & **Ride-On Trains Open Saturdays** starting September in Bushnell, FL

The Florida Garden Railway Society is designing an outdoor garden railroad for this new museum in Central Florida. The GC&CFRR Museum is dedicated to G Scale trains and includes a G Scale "Switching Puzzle" layout. Multiple trains run past model buildings with appropriate scenery backdrops for each area. Finish your trip with a ride around the grounds behind a 7 $\frac{1}{2}$ ride-on diesel locomotive.

For more information: www.bushnellstation.com

The Great Pine Railway: A G Scale **Exhibit at Old Westbury Gardens** Long Island, New York



The Great Pine Railway opened this summer through Labor Day in Old Westbury Gardens on Long Island, NY. The Great Pine Rwy features Long Island landmarks set beside 220 feet of brass rail. Walk under two brida-

es on the upper loop, or explore two lower tracks designed for Old Westbury Gardens. This is the first time for an outdoor model railroad at the Gardens, so be sure to mention that you enjoyed the railroad (to staff and on social media) if you visit.



For more information and tickets, go to: www.oldwestburygardens.org

and click on The Great Pine Railway. Monthly Family Activity Guides with railroad trivia and a mobile app about the model trains can be downloaded there.

> GR News hopes the Great Pine Railway held up well during Hurricane Henri.



Ohio G Scale has been very busy this summer. Cincinnati Garden Railway Society held Summer Layout Tours in July. Riverside Railroad Club in Northeast Ohio started a Large Scale Train Show & *Swap Meet this year with* plans for an annual event. Check out the websites and FaceBook pages of clubs in your area for local events.

www.thecgrs.org

Reindeer Pass Railroad Sale Completed

Per the Reindeer Pass website, "Mike & Renee are excited to announce that the sale of Reindeer Pass has been completed as of August 16th, 2021. We have really appreciated your past patronage over the years. Vernon & Elly will be moving the store to Owasso, Oklahoma, in the next couple of days. Shipping may



be slightly delayed due to this move of inventory. They look forward to meeting all your Garden Railroad needs in the future."

Info at: www.reindeerpass.com

A Coca-Cola[®] Crew Car (Speeder) Joins LGB's Coca-Cola[®] Series

Summer is a great time to run LGB's line of Yellow and Red (Era III) Coca-Cola® cars and locomotives. Some new for 2021, some announced in 2020, and some out of production to seek out, these consists look bright and cheerful in a garden. Be sure to include a flat of Coca-Cola with the tools if you add a work trailer behind the Crew Car.

Fun for summer 2021, LGB has a motorized Crew Car with headlights and marker lights that light up depending on direction of travel.





L40757 Coca-Cola $^{\odot}$ Caboose \$ 274.99 L27631 Coca-Cola $^{\odot}$ Switcher \$ 439.99





Wander the West Coast for G Scale late September and early October

Start your adventure with Live Steam (and battery-powered) trains in Portland, OR, Sept. 23–26 at the Staver Locomotive Fall Steamup. Then choose between track power and Live Steam. Follow the Live Steamers south to Lodi, CA, for the 2021 NSS National Steamup Spectacular from Sept 28–Oct 3, or base out of San Luis Obispo, CA, to explore garden railroad layouts (and railroads in other scales) on the Sept 30, Oct 1 and Oct 2 layout tours in conjunction with the 1:1 scale Central Coast Railroad Festival put on by the San Luis Obispo Railroad Museum from Oct 1–3.



Staver Locomotive Fall Steamup: www.staverlocomotive.com

NSS National Steamup Spectacular: www.steam-events.org

Central Coast Railroad Festival: www.ccrrf.com



CENTRAL COAST RAILROAD FESTIVAL

PIKO America Brings Good Cheer & "Spirits" to the Holiday Season

Holidays are coming and PIKO America has the rolling stock for your seasonal railroad. A new Christmas Freight starter set is coming... and a Santa Fe set for year-round running. A variety of Halloween and Christmas freight cars are here or arriving soon. The "Moonlit Monsters" Hopper (arriving September) even has glow-in-the-dark highlights.



Percesses asks dater. L Reservate was to metri

38905 Christmas Boxcar 2021 \$119.99



38915 North Pole Express Ore Car, 2-Pack \$159.99



38927 Halloween "Moonlit Monsters" Hopper (glow-in-the-dark) \$109.99



38929 Halloween "Tacky Tombstones" Hopper \$109.99 And for Pennsylvania Railroad trainspotters:



38250 PRR 2-6-0 Saddletank Loco #825 w/Analog Sound \$ 349.99



Coming Soon in GR News: Experiences with a Battery Conversion Part One "A Doozie"

by Pete Hendel from the Denver Garden Railway Society *Newsletter*





LGB[®] Garden Railroading Get on board and join the fun!

Amtrak is all set to celebrate its 50th anniversary in 2021. For five decades, Amtrak trains have been taking passengers where they want to go. LGB is proud to announce a special series for the anniversary "50 Years of Amtrak."



Amtral

21580 / 21582 F7A Diesel Locomotive (different road numbers)

36601 Coach Passenger Car (#4813)

36600 Baggage Car

36600 Baggage Car

36603 Vista Dome Car

36602 Coach Passenger Car (#4817)

102

36605 Observation Car

36604 Dining Car

Running sounds for the digital F7A Amtrak Locomotives work in analog operation. The famous "Sunset Limited" train can be assembled using the new Amtrak cars. All cars include built-in LED interior lighting.

For a FREE LGB New Items catalog, please email customerservice@marklin.com. Visit LGB.com to see our complete line of products and find a dealer near you. Official licensee of Amtrak. Amtrak is a registered trademark of the National Railroad Passenger Corporation.

The Snow Creek Railroad • Bob Treat, Proprietor

Snow Creek Railroad: Twenty-eight Years of Railroading Evolution

By Bob Treat Photos by Bob Treat unless otherwise noted

At its inception in 1993, I wanted my railroad to be an outdoor model railroad rather than a garden railroad—something that would be visually unique, creating its own sense of place; a railroad emphasizing operation and originality.

Over the next 28 years, through three major incarnations, I've adhered to and hopefully improved on the original concepts that helped define the Snow Creek Railroad.

Like any model railroad, the SCRR required a lot of forethought and planning... and more planning. This has always been an exciting arena for me; designing, imagining, redesigning. Life lesson learned here — erasers are a lot easier to move than boulders.

When I was nine years old, I remember looking at a comic book in which Donald Duck was sitting in the middle of his model railroad with trains running all around him. I always thought this was really cool! Because of my railroad's large size and outdoors setting, I decided I could do this too. I really wanted to be in the same place the railroad occupied while operating it; not only by walking completely around it, but by walking into it and through it, viewing it from as many, varied vantage points as possible. This not only made my moderate size railroad feel larger, but made it more exciting to look at too.

Since my backyard is relatively flat and the railroad was designed to snake through rugged mountains, the solution was to bring in 10 dump truck loads of fill dirt. I used decomposed granite (DG), as it is clean, drains well, and left some cash to buy track. The basic mountains and canyons were terraformed and shaped with a Bobcat. The added DG also gave me the opportunity to raise



The town of Snow Creek sits above a canyon at the edge of a concrete mountain range.



Detail in cribbing, wall, trestle, bridge and tunnel construction is a hallmark of the Snow Creek RR.

track levels in active switching areas for better viewing and easier accessibility. Stakes, string, a borrowed surveyors transit, and a lot of shoveling fine-tuned my dirt placement.

Llagas Creek code 215 nickel silver track and turnouts were initially attached to small concrete bricks and ballasted with crusher fines from a local quarry. This worked fine for the first few years but eventually track needed realignment, and the bricks became cumbersome and got in the way. They were eventually discarded and the track was laid directly on the DG. This allows the track to float for rail expansion/contraction and makes realignment easier.

Snow Creek Railroad Design Basics

Because of the extreme nature of the mountains that I wanted to represent, I decided to make my own rocks. Using many of the same techniques as my previous indoor layouts, I cast "slabs" of rock from concrete (instead of hydrocal plaster) that I pour into aluminum foil or silicone rubber molds. Once the slabs dry, I arrange them into cliff and mountain shapes, then secure everything in place with more concrete. The completed cliffs are stained with washes of transparent artist's oil paint or acrylics and augmented with real rocks to represent boulders and tailings.

It seems I've always had something of a brown thumb, and since I would rather be playing with trains than tending plants, it seems logical to use rock formations rather than plants. As for the plants I did use, I chose mostly low maintenance, drought tolerant scale foliage. I found that a limited pallet of sedums and various junipers all worked well, giving me greenery that is varied in size and texture.

Structures were limited primarily to railroad oriented buildings, stations, water tanks, industries etc. with the exception of a small grouping of buildings representing the town of Snow Creek. It only takes a few buildings to represent a large town. To help keep the flavor of a remote mountain railroad, it was important to me that the line did not feel overrun with structures. I was more interested in what was between the towns (mountains, bridges, tunnels) rather than what was in the towns. Most of my buildings are either modified kits or scratch built from wood, acrylic, styrene or high density urethane (Precision Board).

In the giant scope of Mother Nature, many of the modeling details that were so meticulously put on equipment or buildings tend to get lost outdoors, both visually and physically. So it seemed logical to me to not sweat the details. Because we model in a constantly changing environment of wind, rain, light, critters, et cetera, it became



The realistic mountainsides are concrete castings stained with acrylics. Right: A pass being rebuilt in 2012.







Snow Creek Railroad runs alongside Snow Creek for a while, then crosses the creek heading into a juniper forest.



The railroad daily switches consists in the town of Snow Creek.







more important for me to create the illusion of detail by using a little paint and a lot of creative common sense. I realized that, for me, if an outdoor scene looked convincing from two or three feet away, this overall "correct" feeling was more appealing than the myriad of details that I could have incorporated into the scene. Placing a few details in select spots set up a visual rhythm, continuing the illusion of more detail than what is really there. Architect Mies van der Rohe was right: less is more.

Operations on the Snow Creek Railroad

I like to think of the Snow Creek Railroad as a freelance, present day, narrow gauge short line. This broad concept gives me the freedom to operate virtually any narrow gauge equipment I choose; steam or diesel locomotives, delicate wooden passenger cars, or hefty steel freight cars. And since there is no specific location being modeled, this allows the exaggeration of scenery and structures, capturing the essentials instead of accurately reproducing the prototype. The only rule I follow is to make sure my creations stay within the bounds of reality (scale, logic, gravity, and so forth).

The SCRR has only a handful of locomotives in its roster, all relatively small. They are either Bachmann or LGB. Most of the rolling stock is either AMS or Bachmann. Moderate weathering gives the feeling that everything operates in the same region, creating a sense of place and belonging.

I wanted to participate as much as possible in the functions of the model railroad, to feel like I was running a real railroad. Therefore I've tried to incorporate as much handson operation as possible. All turnouts are manually thrown, uncoupling functions are performed with chopsticks, and all motive power is radio controlled so operators get to walk with their trains around the railroad. Not only does this simplify maintenance, but it adds a lot of fun.

To maintain interest in the railroad, over time I've experimented with different operation concepts: car cards, tabs on cars, dice rolling. I eventually settled on pre-thought out switch lists.

I enjoy having small groups of model railroaders over to run trains and drink beer. (Sometimes the latter takes precedence.) Each train has an engineer and conductor. Their switch list indicates what cars are to be picked up and dropped off along the route. The layout can easily accommodate two trains with operators.



The quarry blends real rock and concrete castings.



After 28 years, this extensive curved trestle remains in service.

2011 A Rebuild Simplifies the SCRR

A while back I realized that I was starting to get older, like a lot of garden railroad baby boomers, and it was not a pleasant realization. My railroad was becoming more of a cumbersome annoyance than a form of enjoyment. After almost 20 years, the maintenance was getting out of hand. There were too many weeds to pull and trees to trim — and too much track to repair. With my bad knees, crawling between bridges and balancing over track to pick up leaves was becoming an impossibility. I realized that not only was I wearing out, so was the railroad. The creek was leaking badly and some of the rock facades were beginning to collapse. Procrastination and apathy began to set in. I was losing interest in my railroad; it just wasn't fun anymore. If I was going to remain in the hobby that I loved, some changes would have to be made. So in early 2011, I made the decision to rebuild the Snow Creek Railroad.

This time around I decided to simplify the layout. Even though I wanted to keep the basic footprint of the railroad in the yard, less track meant less maintenance. The main station was relocated to a more prominent location, new pathways were created through the layout...a reverse loop was added... the original town of Snow Creek was simplified... new rock cliffs added. The railroad was now perfect!

Or was it...?

In the back of my mind was the annoying realization that the new layout just didn't have the visual drama of the original one.



Above: *By 2012, Snow Creek flowed through a desert landscape planted with water-saving succulents.* Below: *The businesses in the town of Snow Creek changed.*





10

The view from the patio. Above: *In 2008, greenery dominates.* Below: *In 2012, Nemo Station is now prominently featured.*





Above: In 2004, Nemo Station included cattle pens and a loading ramp. Below: By 2012, the pen sits near a pasture.



Featured Layout: Bob Treat's Snow Creek Railroad

Garden Railroading News Page 10



2016 Rebuild #2: The Drama Is Back!

So in 2016, out came the shovels once again. By this time climate change was affecting the more fragile plants. The railroad was now forced to be less lush and become a more desert landscape with even more rocks. Most of the foliage was now drought tolerant. Japanese junipers and succulent ground cover became the plants of choice. The town was relocated to a higher mountain reached solely by a long narrow girder bridge... the drama was returning!

As this third incarnation developed, I realized I never ran trains continuously anymore. The railroad now became a point to point design, with even less trackage. My knees were very happy!



2021 The SCRR Continues to Adapt

I've noticed over time that the theme of the railroad has changed. Its imaginary history has evolved, making it feel even more like a real railroad. As the track plan was altered time and again, many of the old bridge piers remain in place. Twenty-five years ago Snow Creek Railroad started out transporting tourists part time; it now has become solely industrial. Passenger cars now accommodate workers to the various mines and industries along the route. And just as the namesake town was undergoing a revitalization with new industries, Mother Nature had other ideas and took out the girder bridge in a windstorm. With only a few abandoned rails left in the town, Snow Creek is now gradually becoming a ghost town. Ain't history wonderful!

The Story of New Snow Creek by Bob Treat

Once upon a time, in a small mountain town there was a big nasty windstorm. The citizens of Snow Creek woke up to find they had been cut off from railroad service by the collapse of the 450 foot girder bridge that connected them to the rest of the world.

The townspeople were devastated! How were they to get their building supplies? Dry goods? Their produce?



And worst of all, the Slippery Pickle's beer supply. No more "happy hours"! It was apparent that the citizens of Snow Creek and their goods needed their rail service back. But the town and railroad had not the funds (actually, no incentive) to replace the bridge. Fortunately, Snow Creek's primary industry, the Cielo Water Co., was on the "railroad side" of the destroyed bridge. A short stub trestle was quickly constructed to allow for a longer tail track so cars could be shunted onto the water company's siding. The industry was saved!

The town Council debated over brews at the Slippery Pickle and decided to construct a makeshift road leading up to a small station platform at the track's end. Now the Snow Creek Railroad could once again service the people, the stores and the bars of Snow Creek. — As told in the San Diego GRS News March 2021



Email Bob Treat at treat@cox.net; Check out Snow Creek photography and Bob's art at www.roberttreat.com and two books on the SCRR at www.blurb.com/bookstore (search: Robert Treat Snow Creek)

Bob's latest book, "Nemo to Snow Creek ...and places in between," composites the Snow Creek Railroad with backgrounds from the San Jacinto Mountains. Over 40 photos bring the fantasy of a garden railroad to life on the page in this three year labor of love.



THE WORLD'S LARGEST OFFICIAL ON-LINE STORE FOR LIVE STEAM MODELS FROM THE BEST BRANDS.

WWW.LIVESTEAMSTATION.COM

Brands

- Accucraft Trains
- Aster Hobby
- AMS (American Model Supply)
- Accucraft UK
- Accucraft Germany
- AML (American Mainline)
- Maxi-Trak
- Argyle Loco Works
- J&M Models
- Albrae Models
- Accucraft Ride-On



ASTER HOBBY - LNER THOMPSON CLASS B1 1:32 Scale, Alcohol Fired, 4 Liveries, Kits and Ready To Run



ACCUCRAFT UK - ADAMS RADIAL TANK 4-4-2T 1:32 Scale, Butane Fired, 5 Liveries, Kits and Ready To Run



ACCUCRAFT - BALDWIN 'MABEL' 0-6-0T 1:20.3 Scale, Live Steam Butane Fired, Kits and Ready To Run, R/C



J&M MODELS - L&SWR COACHES Brass Coaches in Gauge One: CIWL, L&SWR, & More

- Featuring
- Live Steam & Electric
- HO, O, G-1, F and Ride-On
- Standard, Narrow Gauge & Road Engines
- Passenger Cars and Rolling Stock
- Track
- Parts and accessories
- New: Marketplace for used and consignment sales!



AML - GP60 & GP60M 1:29 Scale, Electric, Track or Battery Powered



AMS Fn3 - DROP BOTTOM GONDOLA 1:20.3 Scale, Metal Trucks and Wheels



RIDE ON - 7.5" GAUGE LOCOS & PASSENGER CARS 1.6" & 2.5" Scale, 1" Steel Rail, Acessories



TRACK AND ACCESSORIES Code 332 & 250, Switches, Rail Clamps and more



Live Steam Station • 33260 Central Ave. Union City, CA 94587 USA • T(510) 324-3399 • www.livesteamstation.com









CLUB CORNER

This month's Club Corner discussion may help your club grow your club's Open House options... and will definitely aid your club's new-to-garden-railroading members as they learn about our hobby.



Only about a third of the members of our club have built a layout. Many buy engines and cars, and even build buildings, but for various reasons, don't have a layout. Some people used to have a layout, but it fell into disrepair, or they moved to a different house. Some have moved into a condo, apartment, or their house only has a very small yard. Some people feel they are too old and are no longer capable of building and maintaining a layout.



This is not just a problem for G Scale hobbyists. The smaller scale model railroad enthusiasts call them "arm chair" railroaders. They study the hobby, collect engines and cars, and attend events, but they never build their own layout beyond a short test track.

Some clubs have a club layout. This solves the problem of a layout for those with either no room or enough energy to build and maintain a full layout of their own.





a layout for a day or even a few hours. Usually work parties involve laying track, so members bring their own tools which often include a shovel and a hex screw driver for installing rail clamps. The host usually provides drinks, refreshments, and occasionally





Curated by Bill Derville, Past President Rose City Garden Railway Society • Portland, Oregon

even lunch for the workers. But usually everyone brings a sack lunch and enjoys the drinks provided by the host. By the end of day, usually the first train is running on the new layout.

Work parties break the barrier of getting started building a railroad. We have built several layouts this way. Not only does the layout get built, but newer members learn new skills as they work side by side with more experienced railroaders.

Some people aren't sure where they want to lay track. They have room for a layout but haven't decided on a track plan. Sometimes we have **track planning parties** where members are invited to visit and just discuss track plans or get more ideas on what they want to build. These are social events, but sometimes we even bring a laser level to check out grades to insure they will not be too steep. The final track plan is of course decided on by the owner, and usually not during the party. But the fresh ideas provide much food for thought. My own layout was dramatically changed due to the suggestion of one of our members.

Building a new layout is fun, and it strengthens the club when there are more layouts to visit. As people build layouts, problems are encountered that other club members can help solve. If you haven't built a layout yet, think about having either a track planning party or a work party to implement your plans. It will get you started.

I welcome your ideas to strengthen our garden railroad clubs. Share your ideas with me by e-mail at bill@derville4.com and your experience may be in a future column.

I look forward to hearing from you. — Bill







13











Rose City



Reflections from Charlie Beall's Fun Run

A Florida Garden Railway Society Meet





Photos from: Florida Garden Railway Society Newsletter June 2021

Garden Railroading News Page 14



Reflections from Charlie Beall's Fun Run





FGRS members gathered outside Orlando to spend the day enjoying trains running on a spectacular layout! Built in 2006, the layout is roughly 70 x 90 feet with about 1,200 feet of track, including sidings. There is a waterfall, koi pond, long truss bridges, and varied, beautifully landscaped terrain throughout the track-powered layout. Charlie ran many of his 20 locomotives and 111 cars. To see more pictures of this fine layout, check out the "Events" Page on our website: www.FGRS.org



DWARF & MINIATURE PLANTS MEAN MORE TIME TO RUN TRAINS

Order online or in person, visitors welcome by appointment 503 632 3555

Bridge Masters

www.bridge-masters.com

iii N

Track Cleaner Goes around 1100 curves and switches. Scotchbrite™ abrasive pad is replaceable. \$95.00 including priority shipping

Serving You Since 1981 with over 65 products Since

Additional Products: Culvert Bridge • Sub-Supported Bridge • Telephone Poles • A-Frame Bridge • Right-of-Way Signs • Retaining Walls • Brass Structure Lights • Warren Through Bridges • Portals/ Abutments • Modular Deck Trestles (straight & curved) • Windmill • Bumpers • Coal Bins • Tank Stand • Loads • Sheds • Platform Dock Set • Fencing

All products are pre-assembled with nails and are dark semi-transparent stained. Send us a large SASE for complete product line and pricing. 22626 Manalastas Dr, Lake Forest CA 92630 (714) 985-9007





YOUR TRAINS & RAILWAYS

+ Our LED lights are very tiny (0.5-5.0 mm)
+ Easy to install (pre-wired with resistors)
+ No soldering or assembly work required
+ AC / DC / DCC compatible (7-19 Volt)
+ We review all orders prior to shipping



WWW.EVANDESIGNS.COM



38[™] NATIONAL GARDEN RAILWAY CONVENTION SANTA CLARA, CA JULY 3-9, 2023 "The place to be in '23!"





Sidetrack Tap Lounge: A Passenger Car to Diner Project in 7/8ths Scale by John Foley

I built a Bar Room called the Sidetrack Tap. The scale of the building is 1:13.7 or 7/8ths inch to a foot. My 7/8ths scale (1:13.7) railroad models Maine two-foot narrow gauge on 45mm track and also small industrial railways. The locomotives are run by battery power and live steam. There are very few commercial building models available in this scale, so all of us build from scratch. At 7/8ths scale, you can't get away with just the exterior details. The interior details have to done because you can see it through the windows.



I wanted to keep this project as cheap as I could. I had a leftover piece of two-foot narrow gauge passenger car roof framing. Most of the strip wood is popsicle sticks, tongue depressors and coffee stirrers. The floor stringers were cut from scrap wood on the table saw. I used popsicle sticks for floor boards stained a brown/black.

(*Photo 1*) The walls were built flat on the workbench. Construction is 1/4" foam core with the popsicle sticks on the outside and coffee stirrers on the inside. I used a square to keep the wall vertical while the glue dried.

(*Photo 2*) The sidewall and the roof framing in progress. The roof needs to be covered with thin balsa wood. I trimmed out the window openings with wood. The windows are custom cut from .080 plastic using clear styrene for glass.



(*Photo 3*) Interior view while under construction. The roof ribs and the tile floor in the bar area can be seen. The bar and the stools need to be installed.

(*Photo 4*) The booths were built as a unit to be added after the walls were in place. You can see the ends of the popsicles sticks used as the back of the booths.



Article from: New Hampshire Garden Railway Society Website Articles April 2021

Photo 3

www.nhgrs.com





(*Photo 5*) The front of the Sidetrack Tap. I still need to add a neon sign. The building in the background is the railway engine house, but that is another story for another time.



Interior views of the finished Sidetrack Tap.

(*Photo 6*) A view of the booth service area with a lady placing her order. You can see the rounded ends of the popsicle sticks.

(*Photo 7*) The Bar area with a back cabinet and cooking area. The bartender is serving his regulars.





(*Photos 8 & 9*) At the back of the building is a storage shed where a worker takes a break. The rear shed was added to accommodate a heater and dry storage.

This was a fun project to pass the time while stuck in the house last Spring. It goes to prove you don't need to spend big sums of money to have a great model. The name of the Bar Room came from the radio show *A Prairie Home Companion*.



www.nhgrs.com

Garden Railroading News Page 18



Three kinds of thyme blanket a hillside of the Squak Mt RR. From L to R: Elfin, Red, and Wooly Thyme. Photo by Sharon Carlson

Page 🖸



Puget Sound Garden Railroading

July 2021

19



away. Available now at any of our authorized AIRWIRE dealers or direct from

CVP. For ordering options and pricing, please see the CVP website.

CVP PRODUCTS Richardson, TX

www.cvpusa.com



Beginner/Budget Project: Rehabilitating a PIKO Clean Machine

By Eric Stratton Mueller

Our youngest son, Wade, received a PIKO "Clean Machine" as a gift two years ago when he turned three. Within days, goodnight hugs, fumbling for the on/off/reverse switch, and a taste test of the horn left Diesel Dan stripped of most detail parts. The rest I removed and bagged against future need. Wade asked for his fifth birthday that we restore Diesel Dan to "his" former glory. He wanted all the detailed parts back. I wanted to make sure my fat fingers never again snapped a handrail. I also wanted a project that would build our hobby skills, so I decided we would make, rather than buy, replacement parts and install some mechanism for touchless control.



1 - Diesel Dan devoid of details



2 - Ready to start!





3 - The Critter Controller won't fit on the floor



4 - Vertical placement of the Critter Controller

We began with the control system. For those not familiar, the "Clean Machine" runs on 6x AAA batteries. It is a fun, durable model, but the location of the on/off/reverse switch under the deck plates puts those handrails at risk. After weighing radio or even infrared control, I settled on G-Scale Graphics "Magnetic Critter Control" gscalegraphics.net for reasons of cost and simplicity. We followed the PIKO manual to strip Diesel Dan to bare bones. We did have a little trouble working the cab off, but we

Rose City Garden Railway Society

Continued on next page

Portland, Oregon

www.rcgrs.com



prevailed! After studying *Diesel Dan's* innards, we settled on mounting the new circuit board vertically in the front of the cab. The exhaust stack serves as a cable channel already, so we took advantage of that. Wade filed a notch in the base so we could run the battery leads to the control board and wires then back down to the motor and a station stop magnet. Next, we mounted to the top of the windowsill the on/ off magnet. Then we mounted externally and low on the chassis the station stop magnet. There is a small, internal gap near the on/off/reverse switch that can accommodate the wires for this magnet.



5 - Looking for a place for the station stop magnet



6 - Filing the notch for new cables

More adventurous modelers could consider mounting the station stop magnet inside the chassis, but moving gears near wires worried me! I will add that both PIKO and G-Scale graphics give you plenty of extra wire and good instructions, and, as a result, we had *Diesel Dan* buttoned up and working under magnetic control in no time!



7 - Bending handrails (Must use eye protection next time!)



8 - Reaming out the handrail holes

The detail parts came next. After reaffixing surviving parts, we turned to the handrails. I had kept the originals, and we used them as guides to bend metal wire replacements. I chose a metal wire that I found out later was "piano" wire that roughly matched the diameter of the original handrails. Boy, was that hard to work with! In hindsight, we should have worn

Rose City Garden Railway Society

Continued on next page

Portland, Oregon



9 - Glasses on as we make new handrails



10 - A pencil tip about to become a horn

eye protection as we bent it to shape. Wade used my pin vise to bore out the holes for the new handrails, and, in an afternoon, *Diesel Dan* was again OSHA compliant! I had a real mental block on what to do about the horn. We still had the base, but the bell had been the victim of that long-ago taste test. Wade, rummaging about his sister's bead box, found the tip of a mechanical pencil. We cut it, glued to *Diesel Dan*, and now the little loco was truly ready to serve the Triple O!



11 - The Crew poses after a job well done!

This was a fun project. Were I to do this again (and was it my locomotive) I would cut out the cab floor to ease the wiring and make the windows opaque to hide the job. I would also find a more malleable wire for the handrails and would have repainted *Diesel Dan* in US Army or Hawaii Historical Railroad colors. I am very, very pleased with the Magnetic Critter Controller, and I would strongly recommend it to anyone else who wants small hands to operate trains without risking detailed parts or expensive remote-control devices. In the end, it all came together to make *Diesel Dan* look more like a "real" model and much more fun to operate.

Continued on next page







This is a condensed version of my build log "Rehab of the Missile Sponges Part the First: Diesel Dan" on Large Scale Central.

The log includes a couple of videos, including the Hawaiian Railway prototype in action.





Rose City Garden Railway Society Portland, Oregon

We Are FEAM#GARDEN All About Real Steam on your Garden Railroad

For over 30 years, *Steam in the Garden Magazine* has covered garden scale *live steam* trains. We provide information that is aimed at live steamers of all skill levels, bringing together the best that we can for the hobby. Available in **Print** and **Digital**. With a digital subscription you can download and take us with you on



your laptop or tablet plus access our complete archive of magazines, over 30 years smallscale live steam of knowledge. Visit us online at *www.steamup.com* for more information. Until then – Happy Steaming!





www.rcgrs.com



www.railclamp.com Split Jaw Products, LLC



Gene's Integrated Engine and Sound

MostlyGscale.com

Locomotive repair Installation-Sound and DCC Decoders Sales of new and pre-owned items Coming soon—50+ locomotives and 200+ cars in G scale







Gene RahrigPh 937-864-74118074 Dayton-Springfield Rd.Fairborn OH 45324Email bgrails@flatdon.com for specific information



Garden Railroading News Page 24



ON DEMAND GARDEN RAILROADING Part Three

by Mick Spilsbury

Vice President, Bay Area GRS & GR News Marketing Director

POWERING AN ON DEMAND GARDEN RAILROAD

Track power or battery power? Why not both?

Battery power enables us to run locos on demand, on a whim, after only a brief inspection for obstacles that have naturally or mysteriously appeared on our track. So, at least one battery loco is advisable for reliable on demand garden railroading.

However, converting locos to battery power is an expensive business and track power can be used in conjunction with battery power. After all, battery-powered locos and track-powered locos can operate simultaneously.

USING BOTH TRACK & BATTERY POWER

My Black Canyon RR uses both track and battery power in a perhaps unconventional way. Locos operate on battery power. Track power is used to power sounds up and down the line and to power on-board lights in carriages. So, very clean track is required for full operation, especially at night— or to run guest track-powered locos or new fleet additions awaiting battery conversion. And that is where track cleaning engines running on track power come in real handy.

Although only a double-headed consist of two track cleaning engines is required at any one time, Black Canyon has a fleet of four. Why? One: track cleaning locos are often in the shop for required maintenance. Two: I am collecting the original yellow LGB track cleaning locos while I can still find them in good condition second hand. (In my experience they perform their role far better than the newer red model.) I purchased the most recent yellow addition for about 50% of the price of a new red model.



TUNNELS

Abominable activities can occur in tunnels – lovely dark spaces for less desirable species of wildlife. These activities can be constrained by easily placed and removed wooden 'end caps' slotted to fit on top of rails. The seconds taken to place and remove them is far less than the time taken to remove the entrails of a night of vermin activity.



UNDESIRABLE UNDERGROUND ACTIVITIES

'Caddy Shack' experiences are not at all amusing on a garden railroad. Plants dug up, piles of dirt on carefully laid landscape details and, worst of all, scale avalanches on track are annoying. There are many opinions about controlling the incursions of moles, gophers, and voles. I have settled on reasonably effective, solar powered, battery operated sonic deterrents, placed at a higher density than specified. Much more elegant and as effective as noxious smoke bombs or setting traps that seem as likely to catch a digit as a gopher.



STORAGE

Rolling locos (and other rolling stock) into an enclosed, clean location is a tremendous aid to on demand garden railroading. If you have the space for a train shed or the opportunity to run trains into a garage or basement, seize the opportunity. Black Canyon does not have that opportunity. Tunnels with end caps serve for locos instead. Not as good as a shed or basement but a big step up from leaving locos out in the open or moving them on/off track before/after each operating session, even with very helpful 'railers'.

ON DEMAND GARDEN RAILROADING is not a priority for all, but for those with children, grandchildren and friends who just drop by, it can be rather useful!

If you have tips on the topic, please share. Send them to marketing@grnews.org with images if appropriate — and we will include your tips in a follow up article.







Dwarf Chinese Elm Ulmus parvifolia Ulmus parvifolia 'Seiju' & Ulmus parvifolia 'Hokkaido'

Among the pictures sent in for the "Featured Layout: Steve & Malinda Jungst's J2A RR" article in the March/April issue of *Garden Railroading News* was a city park near 'brick' buildings modeling downtown Nashville. The tree in the park caught your *GR News* editor's eye and I asked what plant it was. Steve Jungst of the J2A Railroad wrote, "The tree in the picture with the wishing well is a dwarf Chinese Seiju elm tree. The scientific name is *Ulmus parvifolia* 'Seiju'. I don't remember for sure, but I think the tree was planted about 5 years ago. It has been a very easy tree to grow and does not grow too fast. The ground cover is a mix of blue star creeper and Elfin thyme."

The answer sent me searching, and I found that multiple examples had caught my photographic eye at other convention layouts over the years. If you're looking for a striking, slow growing tree for your railroad and you don't have winters with constant hard frosts and snow, dwarf Chinese elm, either *U.p.* 'Seiju' or *U.p.* 'Hokkaido', may be for you.

Chinese elm is native throughout eastern Asia and the dwarf variety was cultivated in Japan. Hokkaido is a very slow growing miniature; Seiju, a sport of Hokkaido, grows considerably faster and taller. Other Chinese elms, such as *U.p.* 'Jacqueline Hillier', can be kept small with constant trimming.

Chinese elm has a mottled, "corky" bark and small, oval green leaves with dentate margins and pointed tip. It grows fairly straight developing a spreading canopy of leaves on a network of branches. On our railroads, it looks good as a street tree near buildings or out in the countryside.

This elm thrives in a wide range of light, temperature and humidity conditions. It can be grown in full sun or partial shade. Evergreen in warmer climates, it shows fall colors and drops leaves in cooler areas. Water regularly, adjusting to your local conditions and allowing surface soil to dry between watering. Prune so branches radiate out.



Seiju elm (above) grows larger and faster than Hokkaido elm (right).









Seiju elm Nashville in early Spring. The same elm in full leaf in June.







Seiju elm on a Bay Area hill. Seiju elm in June in So. California.



Layouts from Bay Area GRS, Nashville GRS and Santa Clarita Valley GRC Garden Ra

Garden Railroading News Page 26

G Scale Gardening: Dwarf Chinese Elm



On Steve & Malinda Jungst's J2A Railroad, the Seiju elm provides singular shade and also appears in groves.



A line of Hokkaido elms (and a hedge of Streibs Findling cotoneaster) separates the train yard from downtown Nashville on Steve & Malinda Jungst's J2A RR.



Alan Wright trims lower branches on this U.p. 'Seiju' to keep the track clear.

Dwarf Chinese elm Ulmus parvifolia 'Seiju'

Ulmus parvifolia 'Hokkaido' common names: Chinese elm, evergreen elm, lacebark elm

USDA Hardiness Zone: 6–11 Sunset Zone: 8, 9, 12–24 Full or partial shade, well-draining soil Trim late Fall through early Spring

Hokkaido elms on the J2A RR. Brittle branches may break easily.



Photos by Malinda Jungst



Photo by Richard Murray

This many decades old Seiju elm has the knobby bark and wide trunk of age.



Ray Turner of the Mystic Mountain RR outside San Jose, California, wrote in the October 2020 BAGRS' Trellis & Trestle that when trimming his four Seiju elms annually, he "takes about 2 feet off the top and thins out the lower and inside areas."

G Scale Gardening: Dwarf Chinese Elm Layouts from Bay Area GRS, Nashville GRS and Santa Clarita Valley GRC

Garden Railroading News Page 27



The Mail Car

By Pete Dahlberg

Q: How do I know when to replace my track or wheels?

A: If you are using metal wheels and lubricating the axles regularly, the need to replace wheels is very infrequent. The examples shown below are after several thousand hours of operation.

If a car is derailing on a regular basis it would be a good idea to check the condition of the wheels. If the flange is very thin, then the wheel/axle should be replaced. [Ed. Note: Also check wheel gauge.]

Worn axle - note thin-ness of right flange





If the tire portion of the wheel appears to be significantly below the top of the flange or if there is a groove worn in the tire, then the wheel/axle should be replaced. If the end of the axle appears to be significantly smaller than the rest of the axle, then the wheel/axle should be replaced.

New axle on top - worn axle on bottom, note ridge on left wheel



Sunset Valley Railroad LLC

Complete line of code 250 track in brass, aluminum, nickel-silver and stainless. Connects to code 332 track.

SPECIAL SALE

Aluminum narrow gauge 45mm track Aluminum O gauge 32mm track Aluminum rail Narrow gauge 45mm ties O gauge 32mm ties www.sunsetvalleyrailroad.com email pete@sunsetvalleyrailroad.com

\$19.85 per 6ft \$19.85 per 6ft \$4.25 per 6ft \$2.20 per ft \$2.20 per ft



Pneumatic switch system, replaces electric switches

We carry over 20,000 ft of track and 300 switches in stock for YOUR garden railroad

Call 253-862-6748

Article from: North Texas Garden Railroad Club NTGRC News July/August 2021

www.ntgrc.org

Garden Railroading News Page 28

G gauge track

NTGRC News July/August 2021 continued

If the journal (where the end of the axle goes into the sideframe) is not round, the sideframe should be replaced. Note: if the sideframe needs replacement, then the axle probably should be replaced at the same time.

New Freight sideframe – note that holes are round



If a locomotive is **derailing** on a regular basis or if it is making **grinding noises** or if it does not seem to be pulling well, it is a good idea to check the condition of the wheels.

New locomotive axle - note that gear teeth are square



Used locomotive axle – note cupped gear teeth and groove on left wheel



As with car wheels, if the flange is very thin, then the axle should be replaced. If there is a groove in the tire, check to see if the other wheel on the axle has a similar groove (or traction tire). If this is the case, then all that may be needed is a new traction tire in the groove to replace the traction tire which has come off. Also as with car wheels, if the end of the axle is significantly smaller than the body of the axle, the axle should be replaced.

Article from: North Texas Garden Railroad Club NTGRC News July/August 2021

Worn locomotive axles – note almost missing end on bottom axle



An additional item which needs to be checked on locomotive axles is the drive gear for the axle. If this gear has a "cup" on the teeth, then the axle should be replaced. A cupped gear means that the axle cannot get full power from the motor.

For most personal layouts, track will NOT wear out. However, it can become damaged which would necessitate replacement. For example, if you drop a large rock on the track, it probably will be bent and may be out of gauge. You can try to repair the damaged section using a two-rail railbender, but it is usually easier to just replace the damaged section. A less common form of damage can occur if a train is running unattended and gets stuck. In this case the engine can grind "divots" into the rail. There is no option to repair divots, the track must be replaced.

Track divots – caused by engine running but not moving



If the track is heavily used, i.e., over 2000 hours of run time, it will eventually wear out. In this case, the rail head will become flattened (it normally will have a rounded top), and will wear so that the inside of the head is flush with the supporting web. When this happens you may see very thin brass "wires" along the inside of the track. When you start seeing these conditions, the track is worn out and needs to be replaced. When track is this worn, you will experience a greater frequency of derailments.

www.ntgrc.org



DETAILS, DETAILS, DETAILS!

An Orange County, CA field report

The highlight of any Garden RR is operating locomotives, BUT trackside details make each RR unique. The trackside details on Todd Brody's 'Tortoise & Lizard Bash RR' certainly make it unique and fun!

By Mick Spilsbury



Finding them all in one visit is pretty much impossible but we found a bunch. Here are some of our favorites.

Working cable cars carry passengers across a waterway on one section of the RR.

A school mistress calls her charges back to class while a workman services a raised oil tank.

The above might seem a little incongruous

Until you see that they found the meteorite!

Close by archeologists are unearthing a dinosaur, ironically in the not-so-old LA tarpits!

While other residents are getting steamed up.

Crushed ore cascades into a hopper

A jilted man is seen messing with a lavatory ...

.. to inconvenience a woman who jilted him?

Picknickers enjoy a view over the RR Empire

A Hot Rod shows off its hydraulics

Custom rolling stock complements the scenes

While multiple consists wend their way through the plethora of unique details

The 'Tortoise & Lizard Bash RR' is not a new affair. Todd started building it in 1997, adding details year after year. And he hasn't stopped. Several of the above details have won honors in recent national model building contests. Clearly Orange County has more to offer than Disneyland!

NOW WE NEED YOUR HELP

We know there are LOTS OF GREAT TRACKSIDE DETAILS on other Garden Railroads, as these images from a few Northern California Railroads show.

And we need your help to showcase more.

EMAIL TO: marketing@grnews.org

- A 5x3 image of your favorite trackside detail
- The name of the railroad
- The state the RR is in

AND WE WILL FEATURE THE MOST ENGAGING IN A FOLLOW UP, 'DETAILS, DETAILS, DETAILS' PICTORIAL.

Overhead-Garden-Tabletop David Bennett 770-597-0038 dave@traininstallations.com www.traininstallations.com

REINDEER PASS YOUR GARDEN RAILWAY HEADQUARTERS

Mike & Renee Kidman 5220 NW 8th Street Ankeny, IA 50023 ReindeerPass.com Renee@ReindeerPass.com 515-984-6946

Starting in STEAM is *the* definitive handbook for those just starting in Small Scale Live Steam. Available in digital format, you can take this with you on your laptop or tablet. Assembled from articles in *Steam in the Garden*, this 148-page book not only introduces new hobbyists to the fun and excitement of small-

scale live steam, but will also provide experienced steamers with tips and tricks from seasoned hands. Buy your digital copy of *Starting in STEAM* today.

http://www.steamup.com

IF YOU CAN DREAM IT WE CAN BUILD IT WWW.JSW00DCRAFTS.NET

Structures, Animation, Motorization, Accessories, Diecast, Custom Freight Cars, Custom Work and more.

All structures and accessories are $^{1\!\!/}_{2"}$ scale \bullet $1/24^{th},$ G-Scale compatible.

e-mail: jswoodcrafts@sbcglobal.net 310-539-44246 P.S.T. All Week 10 to 5 P.M.

The Anatomy of a Door

I have designed and built many doors on my laser cutter over the years; I've had to learn a LOT about how real-life doors and windows are constructed, both historically and contemporarily. I design all of my doors and windows using prototypical structure, dimensions and proportions as much as I can. There is a lot about how a door or window is constructed that I now take for granted that most modelers never think about; and if you don't know the names of the parts it's very difficult to have a discussion about it.

SO... in this newsletter I bring to you *The Anatomy of a Door*. Let's start by defining the major terms used to describe a door and its parts, then see how a model door is created from a prototype.

The Parts

There are a lot of terms in this picture! Let's look at each of those pieces and figure out what they are.

The door itself is made up of vertical pieces call "stiles" – one on the hinge side, the other on the doorknob side. Until the doorknob side is committed, the door is symmetrical, so you can just call both of them "stiles".

The horizontal pieces are call "rails" – one "bottom rail", one "top rail", and possibly several "mid rails". The rail near the level of the doorknob or lock is called the "lock rail". Again, there's not usually a reason to differentiate between them, so they all are just "rails".

The recessed sections on the door are called "panels". The above example is a "4-panel" door; there are a lot of possible configurations here, including multiple columns – you could have a "2x3 panel door" which would have two panels across and three panels high. As a variant, sometimes panels can be replaced with glass, giving a "glass panel" door.

A prototype door would have three layers (or levels) of material: the front bracing just described, a solid center core layer which appears as the recessed panels, and a back (inside) bracing which is identical to the front bracing. (When we model these, we usually only model the front bracing and the core door, leaving the back flat.)

continued on next page

0

Rose City Garden Railway Society Portland, Oregon IMPORTANT NOTE: A door size is the measurement of the part of the door that opens, and does not include the frame or casing! A typical door might be 36" x 80", but they can be any dimension that's needed for the building. The door size, usually in scale inches, is how you would specify a door for new construction.

Moving out and forward, just in front of the door is the "stop". This is what keeps the door from swinging both directions – what the door closes against.

Moving forward and out again, next is the "casing". This is a cosmetic surrounding piece that hides any gap between the door from and the wall it's being mounted in.

And last is an optional piece at the bottom of the door, the "threshold". This gives a smooth transition of the door opening to the floor level. Doors opening onto platforms will look best without a threshold; doors to houses and stores probably would look better with one. It's primarily an esthetical choice.

The next important part of a door is actually a measurement around the back side of the door – the "rough opening" or RO. This refers to the size of the hole needed in your wall that the door frame will smoothly slip into. It will always be larger than the door size and smaller than the overall size. THIS pair of measurements is what you would give to get a door to fit an existing opening.

Additional Options

There are several notable options that should be mentioned that also have some unique terminology.

Types of doors – Besides the standard "single" door discussed so far, double doors, double-wide doors, and "freight" doors should be mentioned. These are mostly self-explanatory except for the "freight" door – that one generally has an extra-deep frame (6"-8"), usually is of plank constructions, and usually slides rather than swings open.

• Transoms – a transom is a narrow horizontal window above the door.

Rose City Garden Railway Society Portland, Oregon continued on next page

0

Sidelights – A sidelight is a vertical window section beside the door, extending the entire height • of the door opening. A sidelight could be on either or both sides of the door, and could be either all window panes as shown or a mix of panes and solid panels.

Doors may have windows within them. Or one or more of the panels could be glass instead of wood.

The door construction can be a paneled door, or it can be a timbered (rustic) door.

Rose City Garden Railway Society Portland, Oregon

continued on next page

Modeling a Door

I initially model all of my doors in prototype full-size inches, then reduce the model to the desired modeling scale. This has several advantages:

- Gives us a consistent way to spec a door size across scales, including 1:1 scale
- We can use the structure of a prototype door to ensure our model proportions are reasonable and attractive
- We don't have to design a door from scratch for each and every scale
- We can establish a set of "standard specs" that can be applied consistently to all doors. For example, we can make all casings a scale 5" wide, stile 6" wide, bottom rails 12" tall, etc.

The Important Stuff: Given the above, usually all that needs to be specified to get a door designed are:

- 1) The door dimensions either in scale inches (as discussed above), or the RO size in actual decimal inches;
- 2) The scale of the model (which establishes the dimensions of all of the door pieces there are 15+ such dimensions and choices in a typical door)

continued on next page

Rose City Garden Railway Society

Portland, Oregon

LOCOLINC SERIES 200 Wireless Control Solutions

locolinc

Keithco, Inc

locolinc.com (503) 635-7604

Automatic device discovery and WiFi format make the new Locolinc 200 Series the most user friendly interface on the market.

- WiFi format at 2.4 Ghz
- Loco and Accessory Receivers
- Track or battery voltage (12-24V dc)
- Automatic device discovery: Loco &
- Accessories
- Superb NEW user interface 3"x 5"x 1"
- Easy implementation & cost effective
- Easy conversion for existing customers
 Renown LOCOLINC quality &
- reliability

Gary Raymond Metal Wheels Upgrade to higher quality wheels!

Easy Installation Reliable on all large-scale track

PO Box 1722-N, Thousand Oaks CA 91358 805-492-5858 • M–F. 9–5 PST

www.trainwheels.com glraymond@earthlink.net NOT ALL METAL WHEELS ARE CREATED EQUAL[®]

Support your Local Train Shops & Your Favorite On-Line Train Websites.
Please mention *Garden Railroading News* when you buy from our Advertisers. (2)

RESERVE YOUR 0575 REPLICA

THIS CENTER CUPOLA, RED OXIDE CABOOSE

was made in Colorado for the D&RG in 1886, serving the state until its retirement in Ouray where it was on display for over 30 years. In 2006, the Ridgeway Railroad Museum restored the 0575, which now resides at the Ouray County Museum.

RESERVE YOUR 0575 REPLICA, manufactured by PIKO, when registration for the 2022 NGRC Denver Convention opens in July. Limited quantities!

VISIT NGRC2022.ORG

36

While you can theoretically specify a door size using the "overall dimensions", this would require using the scale to determine all of the other dimensions. And since the casing width itself is a dependent variable, the resulting door would end up being a non-standard door size with an R.O. size difficult to estimate without doing a complete door design.

The following example shop drawing shows how the door size (scale $36'' \times 80''$), RO size (1.6667'' x 3.4166''), and overall size (1.8750'' x 3.5208'') apply to a door:

Knowing the *scale* of the door is important because many of the attributes of a door such as the casing width, rail and stile widths, etc, are all standard sizes based upon 1:1 prototype dimensions, and are scaled to the actual size needed for a given scale. If you aren't a "rivet counter" modeler, then using any close scale will probably look fine to you, but if you're too far off the door might look "silly" and unrealistic. (For instance, a 1:20 door is 18% larger than the same door in 1:24; putting a 1:20 door in a 1:24 building is probably going to make the building look like a toy.) If you don't have a specific scale for your railroad, then 1:22.5 might be a good middle-ground to use.

A door could be constructed using a traditional "stick" technique, for my laser-cut models I instead use a layered approach. Each layer is an integral single piece; the multiple layers are stacked together to make the complete threedimensional door model. For this to work successfully, each layer must be designed so it is a solid unit, and each layer must

have an adequate glue-bed on the layers above and below it; this results in a structurally sound final assembly.

Models from one scale cannot just be scaled to create a different scale of the door – this is due to several critical objects that remain constant regardless of scale, such as the kerf (width) of the laser "blade", the material thickness, and the placement of the parts in the final "kit". While I start with a 1:1 design initially, that design gets rescaled to each desired version, and then that design gets extensively modified to make it producible and able to be assembled. Truly each scale version of a door is unique.

For repetitious models such as doors and windows that have a large number of "flavors", I write a program that takes the many parameters and features of all doors and creates a scale-specific version automatically. This has allowed me to add features which used to take days per door and now apply them to all windows from that point on.

Summary

As you can see, there can be almost endless variations of doors. Varying just the composition of the door itself, changing the number and size of panels, adding glass panels or windows, making the door a "rustic plank door with bracing", or modifying the proportions of the stiles and rails, can provide dozens of unique and interesting doors.

I hope this helps to understand how a door is built, both in a real-life prototype and as a model, and provides a common nomenclature to discuss doors. In a future article I will similarly cover the parts and nomenclature of windows.

Happy Modeling,

Joe Eckardt

Rose City Garden Railway Society

Portland, Oregon

www.rcgrs.com

STRAIGHT FROM THE IRON HORSE'S MOUTH

Letters to the Editor should be sent as e-mails only to Carla Brand Breitner at: Editor@GRNews.org

Letters will then be addressed accordingly and/or passed on to the author for further edification. Unless marked otherwise, letters to this publication are assumed to be submitted for print. Please include your name and club affiliation. Please note that we may not be able to print all letters, though we will try to respond to them. Letters may be edited for length and clarity. We are unable to answer requests for information about specific products or systems; these are best addressed to the appropriate manufacturer.

One Way to Build a Viaduct

Please pass on to Bob Dransman my thanks for his article on building a Viaduct. I gave it a try and am happy with the results.

Chuck Carlson Puget Sound Garden Railway Society

Chuck Carlson's Viaduct before Walls & Roadbed

Great job, Chuck! If you have questions, email away and this rookie will try to answer!

Bob Dransman Greater Cincinnati Garden Railway Society

Bob Dransman's Viaduct and Pavilion with Engine House under construction

Screen Grabs from video show trains running on Bob Dransman's viaduct and long trestle during a July open house.

Chuck Carlson sent a second note and photo describing his modifications when adding the walls/drain pockets.

Bob, One thing I changed was that I used 1/4" concrete board for the wall material; it bends perfectly. Using a concrete saw from Harbor Freight, I cut 1-1/2" strips to the lengths needed for the drain gaps (instead of cutting afterwards), then cut the piece for the gap. Glued them on with Heavy Duty Liquid Nails. Some things are not available like Home Depot out here doesn't stock the Flexcoat, so I bought Stucco Patch and buff coloring from Lowe's. The black roadbed is from the original PVC roadbed that I embedded in the cement. I did an article on making PVC roadbeds in one of our newsletters. Again, thanks for the articles.

Chuck

Photos Welcome for Seen on the Tracks A G Scale Realistic Scene Photo Gallery

Please send uncompressed photo (with caption information describing the scene and rolling stock, railroad name & proprietors, location, and photographer's credit) to Editor@GRNews.org ; photos may also appear on the **GR News** website and social media.

38

Affiliated Clubs by State & Country as of 8/10/2021

AR	Greater Hot Springs Garden Railway Society
	Northwest Arkansas Garden Railway Society
AR/OK/MO*	Ozark Garden Railroad Society
AZ	Arizona Big Trains Operators
	Gadsden Pacific Div. Toy Train Operating Museum
	Oracle Community Learning Garden Kid's Railroad
	Tucson Garden Railway Society
	VDO Garden Railroad Club
СА	1.32 Scale Group
0, ()	Bay Area Garden Railway Society
	Central California Coast Garden Railroad Society
	Del Oro Pacific Large Scale Modular Railroaders
	Diable Pacific Short Line
	Egiraley Garden Bailroad Volunteers
	Candudancera
	Galad Canadan Bailway Saniaty
	Gold Coast Garden Kallway Society
	Mendocino Coast Model KK & Navigation Co.
	Orange County Garden Kallway Society
	Redwood Empire Garden Railway Society
	Sacramento Valley Garden Railway Society
	San Diego Garden Railway Society
	San Joaquin Garden Railway Society
	San Leandro Historical Railway Society G&O Rwy
	Santa Clarita Valley Garden Railroad Club
	Santa Fe & Buthead Cove RR Train Group
	Shasta Garden Railway Society
	Southern California Garden Railway Society
	Upland Garden Railroad Society
CO	Denver Garden Railway Society
	Grand Valley Model Railroad Club
	Mile High Garden Railway Society
	Northern Colorado Garden Railroaders
CT	Central Connecticut "G" Gaugers Modular Club
	Central Connecticut "G" Scalers
D.C./MD/VA*	Washington, Virginia & Maryland GRS
DE	First State Model Railroad Club
	Shore Line Garden Railroad
FI	Emerald Coast Garden Railway Club
	Florida Garden Railway Society
	Model RR Division of Florida RR Museum
GA	Georgia Garden Railway Society
IA	Central Iowa Garden Railway Society
	Southern Idaho G-Scale Railroad Society
ID /w//*	Inland Northwest Garden Railroad Society
II	Chicago Aroa Gardon Pailway Society
16	LCB Model Bailroad Club of Chicago
	Midwest PAILS (Pailroaders Active In Large Scale)
INI	Midwesi KAILS (Kailfödders Achve in Large Scale)
	Indiana Large Seale Deilreadere
	niaiana Large Scale Kalifodders
MA	KUSTY KOIIS & KOTTEN LIES
MD*	Nason Dixon Large Scale Kailrod Society
MD/DC/VA*	Washington, Virginia & Maryland GKS
ME	Maine Garden Kailway Society
MI	Lakeshore Garden Railway Club

MN MO	Minnesota Garden Railway Society MO-KAN Garden Railroaders
MO/AR/OK*	Ozark Garden Railroad Society
NC	Coastal Carolina Garden Railroad Society
	Gibsonville Garden RailRoad Inc.
	North Carolina Garden Railway Society
	Piedmont Garden Railway Society
NE	Rivercity Railroaders
NH	New Hampshire Garden Railway Society
NJ	South Jersey Garden Railway Society
NM	New Mexico Garden Railroaders
NV	Las Vegas Garden Railroad Society
	Northern Nevada Garden Railroad Society
NIV	Contral New York Large Scale Pailway Society
INT	Einger Lakes Live Steamers
	Caracas C. Carras Dailum Seciety
	Genesee G Gauge Railway Society
	Long Island Garden Kallway Society, Inc.
	Western New York Garden Railway Society
ОН	Buckeye State Garden Railroaders
	Columbus Garden Railway Society
	Greater Cincinnati Garden Railway Society
	Miami Valley Garden Railway Society
	Northern Ohio Garden Railway Society
	Riverside Railroad Crew
OK	Central Oklahoma Garden Railroad Society
OK/AR/MO*	Ozark Garden Railroad Society
	Tulsa Garden Railway Club
OR	Cascade Crossina Module G-Scale Group
	Medford Garden Railroaders
	Northwest "G" Railroad Club
	Rose City Garden Railway Society
	Train Mountain Railroad Museum
DΛ	Labiah Vallay Gardan Bailroadara
IA	North Control Ponnauluania Mountains CPS
	North Central Pennsylvania Mountains GRS
	Pennsylvania Garaen kali Society
	Pittsburgh Garden Railway Society
	Southeastern Pennsylvania Garden Railway Society
	Susquehanna Valley Garden Railway Society
TN	Crossville Model Railroad Club
	Mid-South Garden Railway Society
	Nashville Garden Railway Society
ΤΧ	Houston Area G Gaugers
	North Texas Garden Railroad Club
	San Antonio Garden Railway Engineer Society
UT	Color Country Model Railroad Club
	Utah Garden Railway Society
VA	Piedmont Railroaders
	Tidewater Big Train Operators
VA/DC/MD*	Washington Virginia & Maryland GRS
WA/ID*	Inland Northwest Garden Railroad Society
λ/Δ	Puget Sound Garden Railway Society
W/I	Kanasha Gardan Pailroad Society
¥¥I	
	Wisconsin Garden Kailway Society

NATIONAL US Big Train Operator Club LGB of America

* Club/Society includes members from multiple states and is listed under each state.

COUNTRIES BEYOND NORTH AMERICA

AUS	Garden Railway Club of Australia Inc.
NZ	Auckland Garden Railway Group
	Christchurch Garden Railway Group
	Locos, Lads & Lasses
	Waikato Garden Railway Group
	Wairarapa Garden Railway Group
	Wellington Garden Railway Group
СН	US G-Scale Friends Switzerland
UK	G Scale Society United Kingdom
	Kent Group: G Scale Society

..... Northern Alberta Garden Railroaders

..... Rocky Mountain Garden Railroaders

..... Ontario's West GRS Ottawa Valley GRS

..... Vancouver Island GR Club

Check www.GRNews.org for an up-to-date Club Listing.

Affiliated Clubs

Garden Railroading News Page 39

Advertiser Index

2022 NGRC Denver	36
2023 NGRC Bay Area	16
Accucraft/Live Steam Station	12
Airwire CVP Products	19
Bridgemasters	16
Bridgewerks	23
Cedarleaf Custom Railroad Decals	14
Eaglewings Iron Craft 16	,23
Evan Designs	16
GardenLines.net	16
Gary Raymond Wheels	36
G Scale Graphics	35
G Scale Society – UK	24
J. S. Woodcrafts	32
LGB America	6
Live Steam Station/Accucraft	12
LocoLinc (Keithco)	36

Mini Forest by Sky	16
Model Decal Depot	16
My Loco Sound	35
Mostly GScale.com	24
RailBoss	35
RCS of New England	24
Reindeer Pass	32
Shawmut Car Shops	14
Split Jaw Products	24
Starting in Steam	32
Steam in the Garden	23
Stoneworks	14
Sunset Valley Railroad	28
Train Installations	32
Trainz.com	14
Valley Train Station	22
Wright Bridges	22

How to Download GR News

GR News is a PDF document meant to be read in Acrobat Reader. It can be read in many browsers, but is best inside Acrobat Reader where you can control more display options and jump around throughout the magazine. All browsers have a download option, but the icons can vary. Look for an arrow pointing down and try clicking on it; then choose "Save File" and a location on your device. Some icon examples are shown here. Look for the arrow.

How to Change Page Display

When *GR News* is read in Acrobat Reader, the display can be adjusted using choices under the "VIEW" menu. *GR News* is designed for Two Page Display with Cover, so the front page is alone and the rest of the magazine appears as a two-page spread as if it was a print magazine. You control this with the "Page Display" choices under the "VIEW" menu. You can choose "Fit Page" or "Fit Height" to see pages without having to select a percentage. Size of page controls can also be found above a PDF on screen or by clicking a magnifying glass icon with a "+" inside. (Not the "search/find" empty magnifying glass icon.)

Hope these explainers helps make reading GR News more fun. Enjoy.

View Sign Window	v Help
Rotate View Page Navigation	*
Page Display Zoom Tools Show/Hide	Single Page View Enable Scrolling D1 Two Page View √
Display Theme Read Mode	
Full Screen Mode Tracker	第L Automatically Scroll 企
Read Out Loud	•

View	Sign	Window	/ Hel	p
Rota	te View	,	•	
Page	e Naviga	ation	•	
Page	e Displa	у	•	
Zoor	m		•	Zoom To
Tool	s			D. Marquee Zoom
Show	w/Hide		•	🗩 Dynamic Zoom
Disp	lay The	me	•	11 Actual Size
Read	d Mode		^жн	✓ 🖧 Zoom to Page Level
Full	Screen	Mode	₩L	Fit Width
Trac	ker			Fit Height
Read	d Out Lo	oud	•	Fit Visible
				Pan & Zoom
				💍 Loupe Tool
				Deflow

40

Ad Index and A Garden Railroading News Explainer